Safety Data Sheet

SECTION 1 Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier:

Product Name: Toner Cartridge SDTC A410 K-22

Product Code: E1B

1.2. Relevant identified uses of the substance or mixture and uses advised against:

Relevant identified uses: For electrophotographic apparatus

Descriptor: Industrial uses (SU3), Ink and toners (PC18)

1.3. Details of the supplier of the safety data sheet:

Supplier: IMEX Co., Ltd.

Address: 1630-8 Mitsutakatsu, Kita-ku, Okayama-Shi, Okayama 709-2124, Japan Telephone number: +81-86-724-4402 FAX number: +81-86-724-2077

E-mail address: msds@imex-net.co.jp

1.4. Emergency telephone number: +81-86-724-4402 (8:30~17:00 JST)

SECTION 2 Hazards identification

2.1 Classification of the Substance or mixture:

Classification according to Regulation (EC) No 1272/2008 [CLP]

Not classified as a hazardous mixture

Physical Hazards

Flam. Sol: Not classified

Health Hazards

Acute Tox. -oral:

Acute tox. -inhalation:

Not classified

Not classified

Skin Corr/ Irrit:

Not classified

Eye Dam/ Irrit:

Not classified

Skin Sens:

Not classified

Environmental Hazards

Aquatic Acute: Not classified
Aquatic Chronic: Not classified

All other Classifications not listed are either "Not applicable" or "Not available"

2.2 Label elements:

Labeling according to Regulation (EC) No 1272/2008 [CLP]

None

2.3 Other hazards:

Risk of dust-explosion if finely dispersed in air with an ignition source.

SECTION 3 Composition/information on ingredients

3.2 Mixtures:

		CAS No.		Classification	
Ingredient Name	Weight		REACH	according to	
	%		Registration	Regulation(EC) No	
				1272/2008 [CLP]	
Saturated polyester resin	65-90	Confidential	Registered*	None	
Disperse dye-1**	1-7	17418-58-5	<1ton	Eye irrit. 2B, H320***	
Acrylic resin	<5	Confidential	Registered*	None	
Disperse dye-2	1-4	Confidential	<1ton	None	
Disperse dye-3	1-4	Confidential	<1ton	None	
Disperse dye-4	1-4	Confidential	<1ton	None	
Silica, treated	1-4	67762-90-7	Registered	None	
Polypropylene wax	1-4	Confidential	Registered*	None	
Zinc(II) complex salt***	<1.5	42405-40-3	Registered	Flam. Sol 1, H228	
				Acute Tox.4, H302	
				Aquatic Acute1, H400	
				Aquatic Chronic1, H410	

^{*}Registered as all applicable monomers

See SECTION 16 for full text of Classification Hazard Statements.

SECTION 4 First aid measures

4.1 Description of first aid measures:

Immediate medical procedures:

None

Inhalation:

Move to fresh air and gargle with water.

Skin contact:

Wash with soap and water.

Eye contact:

Do not rub. Flush with large amount of water until particles are removed.

Seek medical advice

Ingestion:

Rinse mouth, then drink several glasses of water to dilute stomach content.

Seek medical advice.

4.2 Most important symptoms, both acute and delayed:

Inhalation of excessive amounts of dust may cause physical irritation to respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed:

None

^{** 1-}amino-4-hydroxy-2-phenoxyanthraquinone, *** Classified by GHS

^{****} Zinc, (bis[3,5-di(tert-butyl)-2-hydroxybenzoato-O1,O2], (T-4)

SECTION 5 Firefighting measures

5.1 Extinguishing media:

Water, CO₂, dry chemicals

5.2 Special hazards arising from substance or mixture:

Can form explosive dust-air mixture if finely dispersed in air.

5.3 Advice for firefighters:

Avoid inhalation of fume and smoke.

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid breathing dust. Dust-proof masks should be worn when working.

6.2 Environmental precautions:

Do not flush into sewer or natural watercourse.

6.3 Methods and material for containment and cleaning up:

For containment: Keep in air-tight container.

For cleaning up: Sweep the spilled powder slowly.

Clean the remainder with wet cloth, wet paper, or vacuum cleaner.

Vacuum cleaner must be equipped with dust proof filter and must be explosion-

proof.

For containment: Keep in air-tight container.

SECTION 7 Handling and storage

7.1 Precautions for safe handling:

Avoid breathing dust. Keep away from ignition sources.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry location away from direct sunlight.

7.3 Specific end use(s):

For use in electrophotographic apparatus such as laser-beam printers and copiers.

SECTION 8 Exposure contols/personal protection

8.1 Control parameters:

As mixture: Dust, respirable

	Limit valu	e –Eight hours	Limit value –Short term		
Country	ppm	mg/m³	ppm	mg/m³	
European Union	Not established	Not established	Not established	Not established	
Austria	-	5	-	10	
Belgium	-	3	-	-	
France	-	5 (respirable aerosol)	-	-	
Germany (AGS)	-	1.25	-	-	
Germany (DFG)	-	1.5	-	-	
Hungary	-	6	-	-	
Ireland	-	4	-	-	
Spain	-	3	-	-	
Sweden	-	5	-	-	
Switzerland	-	3	-	-	
USA (ACGIH)	-	3	-	-	
USA (OSHA PEL)	-	5	-	-	

Applicable control parameters are not established in other Community Members not listed

Constituent substances:

This mixture is considered as a "Special Mixture" where substances are modulated by their inclusion within the matrix of the mixture; thus, control parameters for constituent substances do not apply in use of this mixture.

8.2 Exposure controls:

Appropriate engineering controls:

Use of local ventilation is recommended.

Individual protection measures:

Eye/face protection: Protective goggles should be used when handling bulk.

Skin Protection: Protective clothing should be used when handling bulk.

Hand protection: Protective gloves should be used when handling bulk.

Respiratory protection: Dust-proof mask should be used when handling bulk.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Black powder (average particle size: app. 8 microns)

Odour: Slight odour pH: Not applicable

Melting point:

As mixture App. 160°C (flow temperature)

Substance Zinc(II) complex salt: 242.7-244.2 ℃
Boiling point: Not applicable
Flash point: Not applicable
Evaporation rate: Not applicable
Flammability (according to Directive 92/69/EEC):

As mixture: Not flammable; Not classified*

Substance Zinc(II) complex salt: Highly flammable. (Test method A10); Flam. Sol.1*

Explosive limits: Not available
Vapour pressure: Not applicable
Vapour density: Not applicable

Relative density: 1.1-1.3

Solubility:

As mixture Insoluble to water, partially soluble to toluene and xylene.

Substance Zinc(II) complex salt: 187.7mg/l in water, 478mg/100g Fat

Partition coefficient:

As mixture

Substance Zinc(II) complex salt:

Auto-ignition temperature:

Not available

Log Pow=2.32 at 18°C

Not available

>200°C

Viscosity: Not applicable

Explosive properties: Explosive dust-air mixture is formed when finely dispersed in air

Oxidizing properties:

As mixture: Not available

Substance Zinc(II) complex salt: Oxidizing substance. (Max Burning Rate =1.98mm/s)

9.2 Other information: None

*according to criteria of Regulation (EC) No 1272/2008 [CLP]

SECTION 10 Stability and reactivity

10.1 Reactivity:No data10.2 Chemical stability:Stable10.3 Possibility of hazardous reactions:No data

10.4 Conditions to avoid:Do not disperse in air with ignition source.

10.5 Incompatible materials: No data

10.6 Hazardous decomposition products: Decomposition will not occur under intended uses.

SECTION 11 Toxicological information

11.1 Information on toxicological effects:

Acute toxicity

As mixture: Not Classified

Substance Zinc(II) complex salt:

Oral: LD₅₀(Rat): 1,800 mg/kg; -Acute Tox.4

Dermal: LD50(Rat): >2,000 mg/kg

Inhalation:LC₅₀: Not available
Skin corrosion/irritation: Not available

Serious eye damage/irritation:

Not classified as irritant*

Substance Disperse dye-1: Mild (Rabbit 500mg, 24hrs), Classified 2B

Skin sensitization:

Germ cell mutagenicity:

Carcinogenicity:

Reproductive toxicity:

STOT-single exposure:

Not available

Not available

No data

Not available

No constituent components are classified*

STOT-repeated exposure: Not available Aspiration hazards: Not available

No constituent components are classified*

*according to criteria of Regulation (EC) No 1272/2008 [CLP]

SECTION 12 Ecological information

12.1 Toxicity

As mixture:

Fish(Oryzias latipes): LC₅₀(96hr) > 100mg/L (WAF)*

Crustaceans(Daphnia magna): EC₅₀(48hr) > 100mg/L (WAF)*

Algae(Pseudokirchneriella subcapitata): E_rL₅₀(0-72h)>100 mg/L, NOELR=100mg/L (WAF)*

-Not Classified**

Substance Zinc(II) complex salt:

Fish(Oryzias latipes): LC50(96hr): 5.5mg/L

Crustaceans(Daphnia magna): EC50(48hr): 0.73mg/L (NOEL: 0.5mg/l)

Algae(Pseudokirchneriella subcapitata): E_bL₅₀(72h): 0.64mg/l, (NOEC: 0.20mg/l)

-Aquatic Acute1**

12.2 Persistence and degradability

Not available for mixture

Substance Zinc(II) complex salt: Not readily biodegradable. (15% after 28days)

12.3 Bioaccumulative potential

Not available for mixture

Substance Zinc(II) complex salt: Log Pow=2.32; Not suspected to be bioaccumulative.

12.4 Mobility in soil

Not available

12.5 Results of PBT and vPvB assessment:

This mixture does not contain any substance that are assessed to be PBT or vPvB.

12.6 Other adverse effects:

Not available

*data from toner with similar composition.

SECTION 13 Disposal consideration

13.1 Waste treatment methods

Dispose according to local authority requirements.

Waste should not be released to sewer or natural watercourse.

DO NOT put toner powder or container into fire.

SECTION 14 Transport information

14.1 UN number

None

14.2 UN proper shipping name

None

14.3 Transport hazard class(es)

ADR / RID / ADN: none IMDG Code: none ICAO-TI / IATA-DGR: none

14.4 Packing group

None

14.5 Environmental hazards:

Not classified as environmentally hazardous under UN Model Regulations.

Not classified as marine pollutant under IMDG Code.

14.6 Special precautions for user:

Handling such as exposure to water, rolling, falling, or giving shock to the container may result in breakage of the inner bag and result in scattering of the mixture.

Avoid direct sunlight and hot places. (See also: Section 7)

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

None

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulations

Regulation (EC) No 1272/2008 [CLP]

Not classified as hazardous mixture, label not required

Regulation (EC) No 1907/2006 [REACH]

Restricted substances: None SVHC: None*

Registration: See SECTION 3

*Up to 21th updated list issued 16-July-2019

National regulations (France):

^{**}according to criteria of Regulation (EC) No 1272/2008 [CLP]

French enforcement Decree no. 2012-232 of 17-February, 2012

Substances "Silica, treated" is considered as nanomaterial, but they are considered to be modulated by their inclusion within the matrix of the mixture; thus, they are not considered to be "contained without being linked to the mixture."

Germany: Wassergefahrdungsklasse (WGK)

Substance "Zinc(II) complex salt" is considered as aquatic toxicity, but this toner is not classified in EU regulation. See SECTION 12 for details.

15.2 Chemical safety assessment:

Since the ingredient "Zinc(II) complex salt" is classified as very toxic to aquatic life, a representing toner sample has been tested for toxicity to aquatic life as a mixture. See SECTION 12 for details.

SECTION 16 Other information

Issued according to (EC) 453/2010 Annex II amendment of REACH Annex II

Indication of changes:

Muta.

12-Sep.-2019: First issued

Abbreviations and acronyms:

FAX: Facsimile

CLP: Classification Labelling Packaging regulation

Flam. Sol. Flammable Solid Tox. Toxicity
Corr. Corrosivity
Irrit. Irritation
Dam. Damage
Sens. Sensitization

CAS: Chemical Abstract Service

REACH: Registration, Evaluation, Authorization, and Restriction of Chemicals

ppm: parts per million (weight/weight)
AGS Ausschuss für Gefahrstoffe
DFG Deutsche Forschungsgemeinschaf

Mutagenicity

USA United States of America

ACGIH: American Conference of Governmental Industrial Hygienists

TWA: Time weighted Average

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

app. approximately

 $\begin{array}{ll} LC_{50} & \text{Lethal Concentration to 50\% of test population} \\ LD_{50} & \text{Lethal Dose to 50\% of test population} \\ LRRC: & \text{International Agency for Research on Cancer} \end{array}$

NTP: National Toxicology Program

NIOSH: National Institute of Occupational Safety and Health

PAH: Polycyclic Aromatic Hydrocarbons

STOT-SE: Specific Target Organ Toxicity –Single Exposure
STOT RE Specific Target Organ Toxicity –Repeated Exposure

WAF Water Accommodated Fraction

EC₅₀ Effective Concentration to 50% of test population

NOEC No Observed Effect Concentration

E_rL₅₀ Effective Loading rate that causes growth rate reduction to 50%

NOELR No Observed Effect Loading Rate

 E_bL_{50} Effective Loading rate that causes 50% reduction in algal cell biomass

PBT Persistent, Bioaccumulative, and Toxic vPvB: very Persistent and very Bioaccumulative

UN United Nations

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG International Maritime Dangerous Goods

IATA-DGR: International Air Transport Association Dangerous Goods Regulations ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

SVHC: Substances of Very High Concern

Full text of Classification Hazard Statements:

Hazard Statements

H228 Flammable solid

H302 Harmful if swallowed H320 Causes eye irritation H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

Classification procedures:

Flam. Sol: Classification data of constituent substances

Acute Tox. -oral:

Acute tox. -inhalation:

Skin Corr/ Irrit:

Data from similar mixture and bridging principle "Dilution"

Skin Sens:

Data from similar mixture and bridging principle "Dilution"

Data from similar mixture and bridging principle "Dilution"

Muta: On basis of test data of this mixture

Aquatic Acute: Data from similar mixture and bridging principle "Dilution" Aquatic Chronic: Data from similar mixture and bridging principle "Dilution"

Although the information contained in this SDS is prepared to be accurate to the best of our knowledge, please be aware that health and hazard assessment may not be enough and complete.

Since SDS may be revised due to regulation changes or product modifications, please confirm if this is the latest version, especially if the revision date is outdated for two years.