Safety Data Sheet

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

| Product Name: | Toner Cartridge SDTC A4 | 10 M-22 | |
|---------------------------|----------------------------|------------------|-------------------------|
| Product Code: | E1M | | |
| Relevant identified uses: | For electrophotographic a | pparatus | |
| Supplier: | IMEX Co., Ltd. | | |
| Address: | 1630-8 Mitsutakatsu, Kita- | ku, Okayama-Shi, | Okayama 709-2124, Japan |
| Telephone number: | +81-86-724-4402 | FAX number: | +81-86-724-2077 |
| E-mail address: | msds@imex-net.co.jp | | |

SECTION 2 HAZARDS IDENTIFICATION

- 2.1 Emergency Overview: Magenta fine powder with little or no odor. Risk of dust-explosion if finely dispersed in air with an ignition source.
 2.2 OSHA Regulatory Status:
- Classification under GHS: Not classified GHS Label Elements: None
- 2.3 Potential Health Effects: No significant hazards known. See SECTION 11 for details
- 2.4 Potential Environmental Effects: No significant hazards known. See SECTION 12 for details

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Identification of Substance/Mixture: Mixture

| Weight % | CAS No. |
|----------|--|
| 75-90 | Confidential |
| 2-8 | 17418-58-5 |
| 1-5 | Confidential |
| 1-4 | 67762-90-7 |
| 1-4 | Confidential |
| 1-3 | Confidential |
| <1.5 | 42405-40-3 |
| | 75-90 2-8 1-5 1-4 1-4 1-3 |

* Zinc,(bis[3,5-di(tert-butyl)-2-hydroxybenzoato-O1,O2],(T-4)

SECTION 4 FIRST AID MEASURES

Inhalation:

Move to fresh air and gargle with water.

If accompanied with breathing difficulty, take first aid measures such as artificial respiration and call a physician immediately.

Skin contact:

Wash with soap and water.

Eye contact:

Do not rub. Flush with large amount of water until particles are removed.

Seek medical advice

Ingestion:

Rinse mouth. Seek medical advice.

SECTION 5 FIREFIGHTING MEASURES

- **5.1 Suitable Extinguishing media:** Water spray or fog, CO₂, dry chemicals
- 5.2 Unsuitable Extinguishing media:

Strong water current may cause powder to disperse and form explosive dust-air mixture.

5.3 Protection of firefighters

Specific hazards arising from the chemical:

Fine powder may form explosive dust-air mixture if finely dispersed in air.

Fume and smoke may include toxic substances such as aromatic compounds.

Protective equipment and precautions for firefighters

Avoid inhalation of fume and smoke.

SECTION 6 ACCIDENTAL RELEASE MEASURES

- **6.1 Personal precautions, protective equipment and emergency procedures:** Avoid breathing dust. Dust-proof masks should be worn when working.
- 6.2 Environmental precautions: Do not flush into sewer or natural watercourse.
- 6.3 Methods for containment:

Keep in air-tight container.

6.4 Methods for cleaning up:

Sweep the spilled powder slowly. Clean the remainder with wet cloth, wet paper, or vacuum cleaner. Vacuum cleaner must be equipped with dust proof filter and must be explosion-proof.

SECTION 7 HANDLING AND STORAGE

- 7.1 Precautions for safe handling: Avoid breathing dust. Keep away from ignition sources, especially where dust concentration may become high.
- **7.2 Conditions for safe storage, including any incompatibilities** Store in a cool, dry location away from direct sunlight.

SECTION 8 Exposure controls/personal protection

8.1 Control parameters:

| | OSHA PEL | | ACGIH TLV | |
|------------------|--|------|---|------|
| | TWA | STEL | TWA | STEL |
| As toner mixture | 15mg/m ³ (Inhalable fraction) | N.E. | 10mg/m ³ (Total dust) | N.E. |
| | 5mg/m3(Resipable fraction) | | 3mg/m3(Resipable fraction) | |
| Silica | 6mg/m ³ | N.E. | 10mg/m ³ (Total dust) | N.E. |
| | | | 3mg/m ³ (Resipable fraction) | |

(N.E.= Not Established)

8.2 Engineering controls:

Use of local ventilation is recommended.

8.3 Personal protective equipment:

| Eye/face protection: | Protective goggles is recommended if necessary. |
|-------------------------|--|
| Skin Protection: | Protective clothing should be used when handling bulk. |
| Respiratory protection: | Dust-proof mask should be used when handling bulk. |

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

| information on basic physical | and chemical properties. |
|----------------------------------|---|
| Appearance: | Magenta powder |
| Odor: | Slight odor |
| pH: | Not applicable |
| Melting point: | |
| As mixture | App. 200°C (Flow temperature) |
| Substance Zinc(II) complex salt: | 242.7-244.2 <i>°</i> C |
| Boiling point: | No data |
| Flash point: | No data |
| Evaporation rate: | No data |
| Flammability: | |
| As mixture: | Not flammable; Not classified* |
| Substance Zinc(II) complex salt: | Highly flammable. (Test method A10); Flam. Sol.1* |
| Explosive limits: | No data |
| Vapour pressure: | Not applicable |
| Vapour density: | Not applicable |
| Relative density: | 1.1-1.3 |
| Solubility: | |
| As mixture | Insoluble to water, partially soluble to toluene and xylene. |
| Substance Zinc(II) complex salt: | 187.7mg/l in water, 478mg/100g Fat |
| Partition coefficient: | |
| As mixture | Not available |
| Substance Zinc(II) complex salt: | Log P _{ow} =2.32 at 18°C |
| Auto-ignition temperature: | Not applicable |
| Decomposition temperature: | >200°C |
| Viscosity: | Not applicable |
| Explosive properties: | Explosive dust-air mixture is formed when finely dispersed in air |
| Oxidizing properties: | |
| As mixture: | Not available |

9.1

| Particle Size: Other information: | app. 8.0μm (D ₅₀) None |
|--------------------------------------|---|
| Substance Zinc(II) complex salt: | Oxidizing substance. (Max Burning Rate =1.98mm/s) |

*according to classification by GHS

| SECTION 10 Stability and reactivity | |
|--|---------|
| 10.1 Reactivity: | None |
| 10.2 Possibility of hazardous reactions: | None |
| 10.3 Chemical stability: | Stable |
| 10.4 Conditions to avoid: | None |
| 10.5 Incompatible materials: | None |
| 10.6 Hazardous decomposition products: | No data |
| | |

SECTION 11 Toxicological information

11.1 Information on toxicological effects:

| Acute toxicity: | |
|----------------------------|--|
| As mixture | Not Classified* |
| Substance Zinc(II) complex | salt: |
| Oral: | LD ₅₀ (Rat): 1,800 mg/kg ; -Acute Tox.4 |
| Dermal: | LD ₅₀ (Rat): >2,000 mg/kg |
| Inhalation: | LC ₅₀ :Not available |
| Skin corrosion/irritation: | Not available |
| Serious eye damage/irrita | tion: |
| | Not classified as irritant* |
| Substance Disperse dyes-1 | : Eye irritation 2B |
| Skin sensitization: | Not available |
| Germ cell mutagenicity: | No data |
| Carcinogenicity: | Not available |
| Reproductive toxicity: | Not available |
| | No constituent components are classified* |
| STOT -single exposure: | Not available |
| | No constituent components are classified* |
| STOT –RE: | Not available |
| Aspiration hazards: | Not available |
| | No constituent components are classified* |

*according to classification by GHS

SECTION 12 Ecological information

12.1 Ecotoxicity

As mixture:

 $\label{eq:Fish} \begin{array}{l} \mbox{Fish}(\mbox{Oryzias latipes}): \mbox{LC}_{50}(96\mbox{hr}) > 100\mbox{mg/L} (WAF)^* \\ \mbox{Crustaceans}(\mbox{Daphnia magna}): \mbox{EC}_{50}(48\mbox{hr}) > 100\mbox{mg/L} (WAF)^* \\ \mbox{Algae}(\mbox{Pseudokirchneriella subcapitata}): \mbox{E}_r\mbox{L}_{50}(0\mbox{-}72\mbox{h}) > 100\mbox{mg/L}, \mbox{NOELR} = 100\mbox{mg/L} (WAF)^* \\ \mbox{-Not Classified}^{**} \\ \mbox{Substance Zinc(II) complex salt:} \\ \mbox{Fish}(\mbox{Oryzias latipes}): \mbox{LC}_{50}(96\mbox{hr}): 5.5\mbox{mg/L} \end{array}$

Crustaceans(Daphnia magna): EC₅₀(48hr): 0.73mg/L (NOEL: 0.5mg/l) Algae(Pseudokirchneriella subcapitata): E₅L₅₀(72h): 0.64mg/l, (NOEC: 0.20mg/l) -Aquatic Acute1**

12.2 Persistence and degradability

Not available for mixture

Substance Zinc(II) complex salt: Not readily biodegradable. (15% after 28days)

12.3 Bioaccumulative potential

Not available for mixture

Substance Zinc(II) complex salt: Log Pow=2.32; Not suspected to be bioaccumulative.

12.4 Mobility in soil

Not available

12.5 Other adverse effects:

Not available

*data from toner with similar composition. **according to classification by GHS

SECTION 13 Disposal consideration

Dispose according to local authority requirements. DO NOT release to sewer or natural watercourse. DO NOT put toner cartridge, toner powder or container into fire.

SECTION 14 Transport information

Basic shipping description UN number: None UN proper shipping name: None Transport hazard class(es): None Packing group: None Environmental hazards: Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.

Additional information:

Handling such as exposure to water, rolling, falling, or giving shock to the container may result in breakage of the inner bag and result in scattering of the mixture.

Avoid direct sunlight and hot places. (See also: Section 7)

| ADR / RID / ADN: | not regulated |
|---------------------|---------------|
| IMDG Code: | not regulated |
| ICAO-TI / IATA-DGR: | not regulated |

SECTION 15 Regulatory information

None

Federal Regulations

TSCA: All ingredients are on the inventory or exempt from listing. SARA Title III Section 313:

State Regulations:

Revised: Oct. 9, 2019 SDS No.: E1M-US001 California Proposition 65:

"Silica" included in this toner is listed, but only airborne, unbound particles of respirable size are subject to the regulation.

Thus "Silica" bound inside toner is not subject to the Proposition.

SECTION 16 Other information

Issued according to ANSI Z400.1/Z129.1-2010

Indication of changes:

| indication of onlang | |
|---------------------------|---|
| Oct. 9, 2019: | First issued |
| Abbreviations: | |
| CAS: | Chemical Abstract Service |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| ACGIH: | American Conference of Governmental Industrial Hygienists |
| TLV: | Threshold Limit Value |
| TWA: | Time weighted Average |
| STEL: | Short Term Exposure Limit |
| LC_{50} | Lethal Concentration to 50% of test population |
| LD_{50} | Lethal Dose to 50% of test population |
| D ₅₀ | volume-based median (50%) Diameter |
| IARC: | International Agency for Research on Cancer |
| STOT: | Specific Target Organ Toxicity |
| STOT RE | Specific Target Organ Toxicity – Repeated Exposure |
| WAF | Water Accommodated Fraction |
| | Effective Concentration to 50% of test population |
| NOEC ErL ₅₀ | No Observed Effect Concentration Effective Loading rate that causes growth rate reduction to 50% |
| | No Observed Effect Loading Rate |
| E_bL_{50} | Effective Loading rate that causes 50% reduction in algal cell biomass |
| PBT | Persistent, Bioaccumulative, and Toxic |
| UN | United Nations |
| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| RID: | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| ADN: | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| | International Maritime Dangerous Goods |
| IATA-DGR: | International Air Transport Association Dangerous Goods Regulations |
| ICAO-TI: TSCA: | Technical Instructions for the Safe Transport of Dangerous Goods by Air Toxic Substances Control Act |
| SNUR: | Significant New Use Rule |
| SARA: | Superfund Amendments and Reauthorization Act |
| ANSI: | American National Standard Institute |
| | |
| | |

Although the information contained in this SDS is prepared to be accurate to the best of our knowledge, please be aware that health and hazard assessment may not be enough and complete.

Since SDS may be revised due to regulation changes or product modifications, please confirm if this is the latest version, especially if the revision date is outdated for two years.