Safety Data Sheet

SECTION 1 PRODUCT AND COMPANY IDENTIFICATION

Product Name: Toner Cartridge SDTC A410 Y-22

Product Code: E1Y

Relevant identified uses: For electrophotographic apparatus

Supplier: IMEX Co., Ltd.

Address: 1630-8 Mitsutakatsu, Kita-ku, Okayama-Shi, Okayama 709-2124, Japan

Telephone number: +81-86-724-4402 FAX number: +81-86-724-2077

E-mail address: msds@imex-net.co.jp

SECTION 2 HAZARDS IDENTIFICATION

2.1 Emergency Overview:

Yellow fine powder with little or no odor.

Risk of dust-explosion if finely dispersed in air with an ignition source.

2.2 OSHA Regulatory Status:

Classification under GHS: Not classified

GHS Label Elements: None

2.3 Potential Health Effects:

No significant hazards known. See SECTION 11 for details

2.4 Potential Environmental Effects:

No significant hazards known. See SECTION 12 for details

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

Identification of Substance/Mixture: Mixture

Ingredient Name	Weight %	CAS No.	
Saturated polyester resin	80-95	Confidential	
Acrylic resin	1-5	Confidential	
Silica, treated	1-4	67762-90-7	
Wax	1-4	Confidential	
Disperse dye	1-4	7576-65-0	
Zinc(II) complex dye*	<1.5	42405-40-3	

^{*} Zinc,(bis[3,5-di(tert-butyl)-2-hydroxybenzoato-O1,O2],(T-4)

SECTION 4 FIRST AID MEASURES

Inhalation:

Move to fresh air and gargle with water.

If accompanied with breathing difficulty, take first aid measures such as artificial respiration and call a physician immediately.

Skin contact:

Wash with soap and water.

Eye contact:

Do not rub. Flush with large amount of water until particles are removed.

Seek medical advice

Ingestion:

Rinse mouth. Seek medical advice.

SECTION 5 FIREFIGHTING MEASURES

5.1 Suitable Extinguishing media:

Water spray or fog, CO₂, dry chemicals

5.2 Unsuitable Extinguishing media:

Strong water current may cause powder to disperse and form explosive dust-air mixture.

5.3 Protection of firefighters

Specific hazards arising from the chemical:

Fine powder may form explosive dust-air mixture if finely dispersed in air.

Fume and smoke may include toxic substances such as aromatic compounds.

Protective equipment and precautions for firefighters

Avoid inhalation of fume and smoke.

SECTION 6 ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid breathing dust. Dust-proof masks should be worn when working.

6.2 Environmental precautions:

Do not flush into sewer or natural watercourse.

6.3 Methods for containment:

Keep in air-tight container.

6.4 Methods for cleaning up:

Sweep the spilled powder slowly.

Clean the remainder with wet cloth, wet paper, or vacuum cleaner.

Vacuum cleaner must be equipped with dust proof filter and must be explosion-proof.

SECTION 7 HANDLING AND STORAGE

7.1 Precautions for safe handling:

Avoid breathing dust.

Keep away from ignition sources, especially where dust concentration may become high.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry location away from direct sunlight.

SECTION 8 Exposure controls/personal protection

8.1 Control parameters:

- Control parameters					
	OSHA PEL		ACGIH TLV		
	TWA	STEL	TWA	STEL	
As toner mixture	15mg/m³(Inhalable fraction)	N.E.	10mg/m³(Total dust)	N.E.	
	5mg/m3(Resipable fraction)		3mg/m3(Resipable fraction)		
Cilian	Con or long 3	N. F	4.0mm m/cm3/Total divert)	N. E	
Silica	6mg/m ³	N.E.	10mg/m³(Total dust)	N.E.	
			3mg/m³(Resipable fraction)		

(N.E.= Not Established)

8.2 Engineering controls:

Use of local ventilation is recommended.

8.3 Personal protective equipment:

Eye/face protection: Protective goggles is recommended if necessary.

Skin Protection: Protective clothing should be when handling bulk.

Respiratory protection: Dust-proof mask should be used when handling bulk.

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties:

Appearance: Yellow powder
Odor: Slight odor
pH: Not applicable

Melting point:

As mixture App. 240°C (Flow temperature)

Substance Zinc(II) complex salt:242.7-244.2 ℃Boiling point:No dataFlash point:No dataEvaporation rate:No data

Flammability:

As mixture: Not flammable; Not classified*

Substance Zinc(II) complex salt: Highly flammable. (Test method A10); Flam. Sol.1*

Explosive limits:

Vapour pressure:

Vapour density:

Not applicable

Not applicable

Relative density:

1.1-1.3

Solubility:

As mixture Insoluble to water, partially soluble to toluene and xylene.

Substance Zinc(II) complex salt: 187.7mg/l in water, 478mg/100g Fat

Partition coefficient:

As mixture

Substance Zinc(II) complex salt:

Auto-ignition temperature:

Not available

Log Pow=2.32 at 18°C

Not applicable

Decomposition temperature: >200°C

Viscosity: Not applicable

Explosive properties: Explosive dust-air mixture is formed when finely dispersed in air

Oxidizing properties:

As mixture: Not available

Substance Zinc(II) complex salt: Oxidizing substance. (Max Burning Rate =1.98mm/s)

Particle Size: app. 8.0µm (D₅₀)

9.2 Other information: None

*according to classification by GHS

SECTION 10 Stability and reactivity

10.1 Reactivity:None10.2 Possibility of hazardous reactions:None10.3 Chemical stability:Stable10.4 Conditions to avoid:None10.5 Incompatible materials:None10.6 Hazardous decomposition products:No data

SECTION 11 Toxicological information

11.1 Information on toxicological effects:

Acute toxicity:

As mixture Not Classified*

Substance Zinc(II) complex salt:

Oral: LD50(Rat): 1,800 mg/kg; -Acute Tox.4

Dermal: LD₅₀(Rat): >2,000 mg/kg Inhalation: LC₅₀:Not available

Skin corrosion/irritation: Not available

Serious eye damage/irritation:

Not available

Skin sensitization:

Germ cell mutagenicity:

Carcinogenicity:

Reproductive toxicity:

Not available

Not available

No constituent components are classified*

STOT –single exposure: Not available

No constituent components are classified*

STOT –RE: Not available Aspiration hazards: Not available

No constituent components are classified*

SECTION 12 Ecological information

12.1 Ecotoxicity

As mixture:

Fish(Oryzias latipes): LC₅₀(96hr) > 100mg/L (WAF)*

Crustaceans(Daphnia magna): EC₅₀(48hr) > 100mg/L (WAF)*

Algae(Pseudokirchneriella subcapitata): ErL50(0-72h)>100 mg/L, NOELR=100mg/L (WAF)*

-Not Classified**

Substance Zinc(II) complex salt:

Fish(Oryzias latipes): LC50(96hr): 5.5mg/L

Crustaceans(Daphnia magna): EC50(48hr): 0.73mg/L (NOEL: 0.5mg/l)

^{*}according to classification by GHS

Algae(Pseudokirchneriella subcapitata): EbL50(72h): 0.64mg/l, (NOEC: 0.20mg/l)

-Aquatic Acute1**

12.2 Persistence and degradability

Not available for mixture

Substance Zinc(II) complex salt: Not readily biodegradable. (15% after 28days)

12.3 Bioaccumulative potential

Not available for mixture

Substance Zinc(II) complex salt: Log Pow=2.32; Not suspected to be bioaccumulative.

12.4 Mobility in soil

Not available

12.5 Other adverse effects:

Not available

*data from toner with similar composition.

SECTION 13 Disposal consideration

Dispose according to local authority requirements.

DO NOT release to sewer or natural watercourse.

DO NOT put toner cartridge, toner powder or container into fire.

SECTION 14 Transport information

Basic shipping description

UN number: None

UN proper shipping name: None

Transport hazard class(es): None Packing group: None

Environmental hazards:

Not classified as environmentally hazardous under UN Model Regulations and marine pollutant under IMDG Code.

Additional information:

Handling such as exposure to water, rolling, falling, or giving shock to the container may result in breakage of the inner bag and result in scattering of the mixture.

Avoid direct sunlight and hot places. (See also: Section 7)

ADR / RID / ADN: not regulated IMDG Code: not regulated ICAO-TI / IATA-DGR: not regulated

SECTION 15 Regulatory information

Federal Regulations

TSCA: All ingredients are on the inventory or exempt from listing.

SARA Title III Section 313:

None

State Regulations:

California Proposition 65:

^{**}according to classification by GHS

"Silica" included in this toner is listed, but only airborne, unbound particles of respirable size are subject to the regulation.

Thus "Silica" bound inside toner is not subject to the Proposition.

SECTION 16 Other information

Issued according to ANSI Z400.1/Z129.1-2010

Indication of changes:

Oct. 9, 2019: First issued

Abbreviations:

CAS: Chemical Abstract Service

OSHA Occupational Safety and Health Administration

PEL Permissible Exposure Limit

ACGIH: American Conference of Governmental Industrial Hygienists

TLV: Threshold Limit Value
TWA: Time weighted Average
STEL: Short Term Exposure Limit

LC₅₀ Lethal Concentration to 50% of test population

LD₅₀ Lethal Dose to 50% of test population

D₅₀ volume-based median (50%) Diameter

IARC: International Agency for Research on Cancer

STOT: Specific Target Organ Toxicity

STOT RE Specific Target Organ Toxicity –Repeated Exposure

WAF Water Accommodated Fraction

EC₅₀ Effective Concentration to 50% of test population

NOEC No Observed Effect Concentration

 E_rL_{50} Effective Loading rate that causes growth rate reduction to 50%

NOELR No Observed Effect Loading Rate

E_bL₅₀ Effective Loading rate that causes 50% reduction in algal cell biomass

PBT Persistent, Bioaccumulative, and Toxic

UN United Nations

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road RID: Regulations concerning the International Carriage of Dangerous Goods by Rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG International Maritime Dangerous Goods

IATA-DGR: International Air Transport Association Dangerous Goods Regulations ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air

TSCA: Toxic Substances Control Act SNUR: Significant New Use Rule

SARA: Superfund Amendments and Reauthorization Act

ANSI: American National Standard Institute

Although the information contained in this SDS is prepared to be accurate to the best of our knowledge, please be aware that health and hazard assessment may not be enough and complete.

Since SDS may be revised due to regulation changes or product modifications, please confirm if this is the latest version, especially if the revision date is outdated for two years.